



8100 National Dr. - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

15 April 2019

David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712

Project: Bella Vista Lakes
Project Number: April 2019
SDG Number: 1904167

Enclosed are the results of analyses for samples received by the laboratory on 09-Apr-19 14:14. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

<u>Custody Seals</u>	✓
<u>Containers Correct</u>	✓
<u>COC/Labels Agree</u>	✓
<u>Received On Ice</u>	✓
Temperature on Receipt	4.0°C

Sincerely,

A handwritten signature in blue ink that reads "Norma James / Teresa Coins".

Norma James and/or Teresa Coins
Technical Director and/or QA Officer

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

15 April 2019



David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712
Project: Bella Vista Lakes
Project Number: April 2019
Date Received: 09-Apr-19 14:14

CASE NARRATIVE

Sample Delivery Group – 1904167

One OR more of the qualifiers described below may appear in this report. Qualifiers in RED apply to this SDG (Sample Delivery Group).

CALIBRATION QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
CR	Result above highest calibration standard, but within linear calibration range.
Est3	Result at the instrument was above the concentration of the highest standard in the calibration curve.
E2-F	Second Source Verification Failure
E7	Internal Standard Response Failure
E11	Initial Calibration Minimum Response Factor Failure
E21	CCV Low
E-01	CCV High
E35	Low Level CCV Failure

David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712
Project: Bella Vista Lakes
Project Number: April 2019
Date Received: 09-Apr-19 14:14

ANALYTICAL RESULTS

Lab Number: 1904167-01
Sample Name: Sample A
Date/Time Collected: 4/8/19 10:44
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 5.00	E21	4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 50.0		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 50.0		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 50.0		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 50.0		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 50.0	E-01	4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 50.0		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 50.0		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 50.0		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 50.0		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 50.0		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006

David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712
Project: Bella Vista Lakes
Project Number: April 2019
Date Received: 09-Apr-19 14:14

ANALYTICAL RESULTS

Lab Number: 1904167-01
Sample Name: Sample A
Date/Time Collected: 4/8/19 10:44
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
cis-1,3-Dichloropropene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 50.0		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 50.0		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 20.0		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 10.0		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 5.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 50.0		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	101		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		4/11/19 12:07	B904160	SW 8260C, Rev 3, 2006

David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712
Project: Bella Vista Lakes
Project Number: April 2019
Date Received: 09-Apr-19 14:14

ANALYTICAL RESULTS

Lab Number: 1904167-02
Sample Name: Sample B
Date/Time Collected: 4/8/19 10:27
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 5.00	E21	4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 50.0		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 50.0		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 50.0		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 50.0		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 50.0	E-01	4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 50.0		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 50.0		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 50.0		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 50.0		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 50.0		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006

David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712
Project: Bella Vista Lakes
Project Number: April 2019
Date Received: 09-Apr-19 14:14

ANALYTICAL RESULTS

Lab Number: 1904167-02
Sample Name: Sample B
Date/Time Collected: 4/8/19 10:27
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
cis-1,3-Dichloropropene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 50.0		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 50.0		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 20.0		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 10.0		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 5.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 50.0		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	103		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	101		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	102		4/11/19 12:35	B904160	SW 8260C, Rev 3, 2006

David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712
Project: Bella Vista Lakes
Project Number: April 2019
Date Received: 09-Apr-19 14:14

QUALITY CONTROL RESULTS
Volatiles -- Batch: B904160 (Water)

Prepared: 11-Apr-19 07:44 By: CT -- Analyzed: 11-Apr-19 15:52 By: ct

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<5.00 ug/L	93.0% / NA	95.2% / 95.9%		0.700%	
1,1,1-Trichloroethane	<5.00 ug/L	105% / NA	116% / 121%		3.46%	
1,1,2,2-Tetrachloroethane	<5.00 ug/L	82.4% / NA	85.7% / 83.6%		2.49%	
1,1,2-Trichloroethane	<5.00 ug/L	101% / NA	104% / 104%		0.681%	
1,1-Dichloroethane	<5.00 ug/L	111% / NA	121% / 126%		4.14%	
1,1-Dichloroethene	<5.00 ug/L	107% / NA	121% / 128%		5.73%	
1,1-Dichloropropene	<5.00 ug/L	107% / NA	119% / 124%		3.94%	
1,2,3-Trichlorobenzene	<5.00 ug/L	91.7% / NA	89.0% / 92.9%		4.24%	
1,2,3-Trichloropropane	<5.00 ug/L	79.9% / NA	83.5% / 81.7%		2.24%	
1,2,4- Trimethylbenzene	<5.00 ug/L	92.2% / NA	96.7% / 98.4%		1.76%	
1,2,4-Trichlorobenzene	<5.00 ug/L	90.3% / NA	90.1% / 93.9%		4.13%	
1,2-Dibromo-3-chloropropane	<5.00 ug/L	74.2% / NA	71.4% / 68.1%		4.71%	E21
1,2-Dibromoethane	<5.00 ug/L	97.4% / NA	101% / 99.7%		1.72%	
1,2-Dichlorobenzene	<5.00 ug/L	90.8% / NA	93.9% / 95.4%		1.57%	
1,2-Dichloroethane	<5.00 ug/L	99.8% / NA	108% / 108%		0.203%	
1,2-Dichloropropane	<5.00 ug/L	111% / NA	115% / 116%		0.998%	
1,3,5- Trimethylbenzene	<5.00 ug/L	91.5% / NA	97.6% / 99.6%		1.97%	
1,3-Dichlorobenzene	<5.00 ug/L	92.1% / NA	94.9% / 96.7%		1.91%	
1,3-Dichloropropane	<5.00 ug/L	102% / NA	105% / 105%		0.0547%	
1,4-Dichlorobenzene	<5.00 ug/L	91.8% / NA	94.4% / 96.7%		2.44%	
2,2-Dichloropropane	<5.00 ug/L	108% / NA	118% / 121%		2.67%	
2-Butanone	<50.0 ug/L	86.8% / NA	92.0% / 87.7%		4.78%	
2-Chloroethyl Vinyl Ether	<50.0 ug/L	99.8% / NA	99.8% / 99.3%		0.471%	
2-Chlorotoluene	<5.00 ug/L	92.1% / NA	98.2% / 99.0%		0.822%	
2-Hexanone	<50.0 ug/L	81.5% / NA	86.3% / 83.8%		2.84%	
4-Chlorotoluene	<5.00 ug/L	93.3% / NA	97.9% / 100%		2.28%	
4-Methyl-2-pentanone	<50.0 ug/L	85.9% / NA	90.8% / 86.9%		4.41%	
Acrolein	<50.0 ug/L	139% / NA	137% / 131%		4.39%	E-01
Acrylonitrile	<50.0 ug/L	93.9% / NA	100% / 95.6%		4.65%	
Benzene	<5.00 ug/L	111% / NA	120% / 125%		3.52%	
Bromobenzene	<5.00 ug/L	90.8% / NA	94.8% / 97.0%		2.23%	
Bromochloromethane	<5.00 ug/L	110% / NA	114% / 120%		4.68%	
Bromodichloromethane	<5.00 ug/L	105% / NA	108% / 111%		2.04%	
Bromoform	<5.00 ug/L	90.0% / NA	85.4% / 86.0%		0.636%	
Bromomethane	<50.0 ug/L	114% / NA	133% / 143%		7.27%	
Carbon disulfide	<50.0 ug/L	109% / NA	123% / 127%		3.46%	
Carbon Tetrachloride	<5.00 ug/L	104% / NA	112% / 118%		5.08%	
Chlorobenzene	<5.00 ug/L	92.9% / NA	99.3% / 101%		1.18%	
Chloroethane	<50.0 ug/L	116% / NA	132% / 137%		3.41%	
Chloroform	<5.00 ug/L	104% / NA	110% / 115%		5.14%	
Chloromethane	<50.0 ug/L	103% / NA	117% / 121%		3.26%	
cis-1,2-Dichloroethene	<5.00 ug/L	110% / NA	120% / 125%		3.96%	
cis-1,3-Dichloropropene	<5.00 ug/L	105% / NA	109% / 109%		0.223%	
Dibromochloromethane	<5.00 ug/L	104% / NA	104% / 105%		1.20%	
Dibromomethane	<5.00 ug/L	97.0% / NA	102% / 102%		0.364%	
Dichlorodifluoromethane	<50.0 ug/L	99.5% / NA	119% / 122%		2.93%	
Ethylbenzene	<5.00 ug/L	93.9% / NA	101% / 103%		1.69%	
Hexachlorobutadiene	<5.00 ug/L	94.3% / NA	95.0% / 100%		5.32%	

15 April 2019



David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712
Project: Bella Vista Lakes
Project Number: April 2019
Date Received: 09-Apr-19 14:14

QUALITY CONTROL RESULTS

Volatiles -- Batch: B904160 (Water)

Prepared: 11-Apr-19 07:44 By: CT -- Analyzed: 11-Apr-19 15:52 By: ct

Table with 7 columns: Analyte, BLK, LCS / LCSD, MS / MSD, Dup, RPD, Qualifiers. Lists various chemical analytes and their corresponding values.

QUALIFIER(S)

- *E-01: Estimated Result; This Analyte Failed "High" in the CCV; If the sample is non-detect for this analyte, the CCV demonstrated the analyte would have been detected were it present.
*E21: Estimated Result; This Analyte failed (low) in the CCV.

All Analysis performed according to EPA approved methodology when available:
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

Reviewed by: [Signature]
Norma James and/or Teresa Coins
Technical Director and/or QA Officer



1702 East Central Avenue
 Bentonville, AR 72712
 Ph: (479) 271-7996
 Fax: (479) 271-8394

~~Streamline 4802~~

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION				Reporting Information				Preservation Codes:			
Environmental Testing Group 1702 East Central Ave. Bentonville, AR 72712				Project Name: Bella Vista Lakes E-Mail: dadamico@estesja.com Telephone: (479)271-7996 Fax: (479)271-7996 Bill to P.O.#:				A) 1 Liter Poly B) 500 mL Poly C) 0.5 L W/M Glass D) 1 L Amber Glass E) 330 mL Amber Glass F) 100 mL Snap Cap G) 43 mL VOA H) 1 L W/M Glass I) Half Gallon Poly			
Customer Number:				Project Manager: David D'Amico				Preservative Code: 1210			
Sampler(s) Signature: <i>[Signature]</i>				Sampler(s) Printed: <i>David D'Amico</i>				Bottle Type: G			
LAB ID #	SAMPLE COLLECTION Date/s	Time/s	Grab Comp	Number of Bottles	Sample Matrix S=Solid W=Water	SAMPLE IDENTIFICATION, DESCRIPTION	Volatiles 8260C	TEST PARAMETERS			
	4-8	10:44	X	4	W	A	X				
	4-8	10:27	X	4	W	B	X				
<p><i>AAA receipt</i></p> <p><i>4/19/19</i></p> <p>Custody Seals: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>Containers Correct: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>COCLABELS AGREE: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>Received on Ice: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>Temperature on Receipt: 4°C</p> <p>Temperature Gun ID: HHT # 2</p>											
1. Relinquished by: (Signature) <i>[Signature]</i>				2. Received by: (Signature) <i>[Signature]</i>				3. Received by: (Signature) <i>[Signature]</i>			
Date/Time: 4-8-19				Date/Time: 11-13				Date/Time: 4-8-19			
3. Relinquished by: (Signature) <i>[Signature]</i>				4. Received by: (Signature) <i>[Signature]</i>				5. Received by: (Signature) <i>[Signature]</i>			
Date/Time: 11:29				Date/Time: 11:29				Date/Time: 11:29			
<p><i>Subway James - delivered 4/19/19 - HHT - delivered</i></p>											
SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / COMMENTS					
1. CUSTODY SEALS: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>											
2. CONTAINERS CORRECT: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>											
3. COCLABELS AGREE: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>											
4. PRESERVATION CONFIRMED: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>											
5. RECEIVED ON ICE: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>											
6. TEMPERATURE UPON RECEIPT: 15.9 °C											
FOR COMPLETION BY LAB ONLY						FEDEX UPS					

Receipt of samples by Environmental Testing Group, Inc. acknowledges acceptance of Standard Terms and Conditions (available upon request).