



8100 National Dr. - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

11 March 2019

David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712

Project: Bella Vista Lakes
Project Number: March 2019
SDG Number: 1903035

Enclosed are the results of analyses for samples received by the laboratory on 05-Mar-19 13:48. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

<u>Custody Seals</u>	✓
<u>Containers Correct</u>	✓
<u>COC/Labels Agree</u>	✓
<u>Received On Ice</u>	✓
Temperature on Receipt	2.0°C

Sincerely,

A handwritten signature in blue ink that reads "Norma James / Teresa Coins".

Norma James and/or Teresa Coins
Technical Director and/or QA Officer

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

11 March 2019



David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712
Project: Bella Vista Lakes
Project Number: March 2019
Date Received: 05-Mar-19 13:48

CASE NARRATIVE

Sample Delivery Group – 1903035

One OR more of the qualifiers described below may appear in this report. Qualifiers in RED apply to this SDG (Sample Delivery Group).

CALIBRATION QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
CR	Result above highest calibration standard, but within linear calibration range.
Est3	Result at the instrument was above the concentration of the highest standard in the calibration curve.
E2-F	Second Source Verification Failure
E7	Internal Standard Response Failure
E11	Initial Calibration Minimum Response Factor Failure
E21	CCV Low
E-01	CCV High
E35	Low Level CCV Failure

QUALITY CONTROL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
E20	Sample used as "parent" for the associated analytical batch.
%D3/S-01	Surrogate failed to recover within acceptance criteria (%D3/S-01).
E1	Results associated with this surrogate were qualified as "estimated" (E1).
B	Present in the Associated Blank
B1	Present in Blank, but Not In the Sample.
%D2 / E5	Laboratory Control Spike (LCS) and/or Laboratory Control Spike Duplicate (LCSD) failed to recover with acceptance criteria (%D2). Associated results were qualified as "estimated" (E5).
%D1	Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) failed acceptance criteria.
MBA	Failed criteria due to the high concentration of analyte in the parent sample.
MBI	Failed criteria due to an interference in the parent sample.
%D3	Quality Control Surrogate failed acceptance criteria.
NREC	Quality Control Surrogate failed.

David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712
Project: Bella Vista Lakes
Project Number: March 2019
Date Received: 05-Mar-19 13:48

ANALYTICAL RESULTS

Lab Number: 1903035-01
Sample Name: Sample A
Date/Time Collected: 3/4/19 8:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 50.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 50.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 50.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 50.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 50.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 50.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 50.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 50.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 50.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 50.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006

11 March 2019



David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712
Project: Bella Vista Lakes
Project Number: March 2019
Date Received: 05-Mar-19 13:48

ANALYTICAL RESULTS

Lab Number: 1903035-01
Sample Name: Sample A
Date/Time Collected: 3/4/19 8:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
cis-1,3-Dichloropropene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 50.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 50.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 20.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 10.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 5.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 50.0		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	105		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	103		3/7/19 12:45	B903080	SW 8260C, Rev 3, 2006

David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712
Project: Bella Vista Lakes
Project Number: March 2019
Date Received: 05-Mar-19 13:48

ANALYTICAL RESULTS

Lab Number: 1903035-02
Sample Name: Sample B
Date/Time Collected: 3/4/19 9:00
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,1-Dichloropropene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,2,3-Trichlorobenzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,2,4- Trimethylbenzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,2,4-Trichlorobenzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,3,5- Trimethylbenzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,3-Dichloropropane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
2,2-Dichloropropane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 50.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
2-Chloroethyl Vinyl Ether	ug/L	< 50.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
2-Chlorotoluene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 50.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
4-Chlorotoluene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 50.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 50.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 50.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Bromobenzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Bromochloromethane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 50.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 50.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 50.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 50.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
cis-1,2-Dichloroethene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006

David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712
Project: Bella Vista Lakes
Project Number: March 2019
Date Received: 05-Mar-19 13:48

ANALYTICAL RESULTS

Lab Number: 1903035-02
Sample Name: Sample B
Date/Time Collected: 3/4/19 9:00
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
cis-1,3-Dichloropropene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 50.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Hexachlorobutadiene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Isopropylbenzene	ug/L	< 50.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 20.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Methyl-tert-Butyl Ether	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 10.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
n-Butylbenzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
n-Propylbenzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
p-Isopropyltoluene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
sec-Butylbenzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
tert-Butylbenzene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 5.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 50.0		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	102		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	106		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	103		3/7/19 13:13	B903080	SW 8260C, Rev 3, 2006

David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712
Project: Bella Vista Lakes
Project Number: March 2019
Date Received: 05-Mar-19 13:48

QUALITY CONTROL RESULTS
Volatiles -- Batch: B903080 (Water)

Prepared: 07-Mar-19 08:06 By: CT -- Analyzed: 07-Mar-19 23:36 By: ct

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<5.00 ug/L	94.3% / NA	94.5% / 102%		8.01%	
1,1,1-Trichloroethane	<5.00 ug/L	104% / NA	112% / 121%		7.85%	
1,1,2,2-Tetrachloroethane	<5.00 ug/L	93.0% / NA	95.2% / 103%		8.33%	
1,1,2-Trichloroethane	<5.00 ug/L	105% / NA	109% / 113%		3.89%	
1,1-Dichloroethane	<5.00 ug/L	106% / NA	113% / 123%		8.54%	
1,1-Dichloroethene	<5.00 ug/L	102% / NA	110% / 120%		9.10%	
1,1-Dichloropropene	<5.00 ug/L	105% / NA	111% / 121%		8.41%	
1,2,3-Trichlorobenzene	<5.00 ug/L	92.0% / NA	89.5% / 99.5%		10.5%	
1,2,3-Trichloropropane	<5.00 ug/L	90.6% / NA	92.2% / 102%		10.4%	
1,2,4- Trimethylbenzene	<5.00 ug/L	89.5% / NA	91.8% / 99.9%		8.39%	
1,2,4-Trichlorobenzene	<5.00 ug/L	88.1% / NA	87.3% / 95.8%		9.21%	
1,2-Dibromo-3-chloropropane	<5.00 ug/L	93.4% / NA	88.2% / 96.5%		8.96%	
1,2-Dibromoethane	<5.00 ug/L	107% / NA	108% / 114%		5.62%	
1,2-Dichlorobenzene	<5.00 ug/L	89.1% / NA	90.2% / 98.3%		8.64%	
1,2-Dichloroethane	<5.00 ug/L	105% / NA	111% / 117%		5.41%	
1,2-Dichloropropane	<5.00 ug/L	104% / NA	108% / 116%		6.57%	
1,3,5- Trimethylbenzene	<5.00 ug/L	89.3% / NA	92.2% / 101%		9.24%	
1,3-Dichlorobenzene	<5.00 ug/L	89.9% / NA	90.5% / 98.8%		8.72%	
1,3-Dichloropropane	<5.00 ug/L	105% / NA	108% / 113%		4.86%	
1,4-Dichlorobenzene	<5.00 ug/L	90.2% / NA	90.3% / 98.5%		8.79%	
2,2-Dichloropropane	<5.00 ug/L	108% / NA	97.8% / 105%		6.87%	
2-Butanone	<50.0 ug/L	116% / NA	112% / 125%		10.9%	
2-Chloroethyl Vinyl Ether	<50.0 ug/L	113% / NA	MBI / MBI		%	MBI
2-Chlorotoluene	<5.00 ug/L	89.1% / NA	92.1% / 100%		8.34%	
2-Hexanone	<50.0 ug/L	118% / NA	113% / 121%		6.30%	
4-Chlorotoluene	<5.00 ug/L	90.0% / NA	92.3% / 100%		8.09%	
4-Methyl-2-pentanone	<50.0 ug/L	114% / NA	111% / 119%		6.89%	
Acrolein	<50.0 ug/L	88.5% / NA	86.5% / 94.3%		8.59%	
Acrylonitrile	<50.0 ug/L	110% / NA	111% / 119%		7.61%	
Benzene	<5.00 ug/L	107% / NA	113% / 123%		8.29%	
Bromobenzene	<5.00 ug/L	87.6% / NA	91.3% / 99.0%		8.14%	
Bromochloromethane	<5.00 ug/L	110% / NA	116% / 124%		6.14%	
Bromodichloromethane	<5.00 ug/L	103% / NA	107% / 113%		6.11%	
Bromoform	<5.00 ug/L	98.3% / NA	94.6% / 101%		6.98%	
Bromomethane	<50.0 ug/L	109% / NA	120% / 126%		5.26%	E-01
Carbon disulfide	<50.0 ug/L	110% / NA	123% / 132%		7.25%	
Carbon Tetrachloride	<5.00 ug/L	104% / NA	111% / 124%		11.4%	
Chlorobenzene	<5.00 ug/L	92.2% / NA	96.3% / 104%		7.69%	
Chloroethane	<50.0 ug/L	113% / NA	126% / 135%		7.37%	E-01
Chloroform	<5.00 ug/L	99.8% / NA	106% / 115%		8.60%	
Chloromethane	<50.0 ug/L	116% / NA	126% / 137%		8.18%	E-01
cis-1,2-Dichloroethene	<5.00 ug/L	107% / NA	114% / 124%		7.59%	
cis-1,3-Dichloropropene	<5.00 ug/L	103% / NA	104% / 109%		5.39%	
Dibromochloromethane	<5.00 ug/L	109% / NA	106% / 113%		6.83%	
Dibromomethane	<5.00 ug/L	104% / NA	107% / 115%		7.02%	
Dichlorodifluoromethane	<50.0 ug/L	117% / NA	123% / 135%		8.98%	E-01
Ethylbenzene	<5.00 ug/L	91.7% / NA	98.1% / 105%		7.09%	
Hexachlorobutadiene	<5.00 ug/L	90.1% / NA	87.2% / 91.1%		4.38%	

11 March 2019



David A. DAmico
Environmental Testing Group, Inc.
1702 East Central Ave.; Ste. 10
Bentonville, AR 72712
Project: Bella Vista Lakes
Project Number: March 2019
Date Received: 05-Mar-19 13:48

QUALITY CONTROL RESULTS

Volatiles -- Batch: B903080 (Water)

Prepared: 07-Mar-19 08:06 By: CT -- Analyzed: 07-Mar-19 23:36 By: ct

Table with 7 columns: Analyte, BLK, LCS / LCSD, MS / MSD, Dup, RPD, Qualifiers. Lists various analytes like Isopropylbenzene, m,p-Xylene, etc., with their respective percentages and detection limits.

QUALIFIER(S)

*E-01: Estimated Result; This Analyte Failed "High" in the CCV; If the sample is non-detect for this analyte, the CCV demonstrated the analyte would have been detected were it present.
*MBI: Masked By Interference

All Analysis performed according to EPA approved methodology when available :
SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods.
Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

Reviewed by: [Signature]
Norma James and/or Teresa Coins
Technical Director and/or QA Officer



1702 East Central Avenue
 Bentonville, AR 72712
 Ph: (479) 271-7996
 Fx: (479) 271-8394

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION		Reporting Information		Bottle Type:		Preservative Codes:		TEST PARAMETERS			
Environmental Testing Group Inc 1702 E. Central Ave Bentonville AR 72712		Project Name: Bella Vista Lakes E-Mail: dadamico@etesta.com Telephone: 479.271.7996 Fax:		Bill to/ P.O.#: Project Manager: David D'Amico		A) 1 Liter Poly B) 500 mL Poly C) 250 mL Poly D) 1 L Amber Glass E) 330 mL Amber Glass F) 100 mL Snap Cap G) 43 mL VOA H) 1 L W/M Glass I) Half Gallon Poly		1. Cool, 6 Degrees Centigrade 2. Non-preserved 3. Sulfuric Acid (H ₂ SO ₄), pH < 2 4. Nitric Acid (HNO ₃), pH < 2		5. Thiosulfate for Dechlorination 6. Hydrochloric Acid (HCl) 7. Sodium Hydroxide (NaOH), pH > 12 8. H ₃ PO ₄ Phosphoric Acid	
Customer Number:		Sampler(s) Printed: David D'Amico		Bottle Type: G		Preservative Code: 1,2					
Sampler(s) Signature: <i>David D'Amico</i>											
LAB ID #	SAMPLE COLLECTION Date/s	Time/s	Grab Comp	Number of Bottles	Sample Matrix S=Solid W=Water	SAMPLE IDENTIFICATION, DESCRIPTION					
	3/4/2019	0845	X	3	W	A	-01	X			
	3/4/2019	0900	X	3	W	B	-02	X			
1. Relinquished by: (Signature) <i>David D'Amico</i>		Date/Time 3/4/19 1020		2. Received by: (Signature) <i>David D'Amico</i>		SAMPLE CONDITION UPON RECEIPT IN LAB 1. CUSTODY SEALS: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 2. CONTAINERS CORRECT: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 3. COCLABELS AGREE: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 4. PRESERVATION CONFIRMED: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 5. RECEIVED ON ICE: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 6. TEMPERATURE UPON RECEIPT: 4.7 °C		Volatiles 8260C			
3. Relinquished by: (Signature) <i>David D'Amico</i>		Date/Time 3-4-19		4. Received by: (Signature) <i>David D'Amico</i>		Temperature on Receipt: 22.1 Temperature Gun ID: HHT #2					
				AA, Inc. Custody Seals: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Containers Correct: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> COCLabels Agree: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Received on Ice: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Temperature on Receipt: 22.1 Temperature Gun ID: HHT #2							
				ZIPLOCK BAGS FEDEX UPS							
				REMARKS / COMMENTS IF Temperature Gun # InstaChek Jumbo H1613 pH Paper							

Receipt of samples by Environmental Testing Group, Inc. acknowledges acceptance of Standard Terms and Conditions (available upon request).